



PASSENGER ELEVATORS

Ceiling DesignHall DesignSignal FixturesObservation CarsInteriorMaterials and Colors


DESIGN

Contents





| Car D | esign | 2-12 |
|---|--------------------------------|-------|
| | Ceiling Variation & Car Finish | 3-9 |
| | Interior | 10 |
| 0 3 3 3 3 0 3 3 3 3 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | Car Operating Panels | 11-12 |





19-20 Materials and Colors 21-22







Sophisticated atmosphere created by downlights and shadows

LED





Car Design Example

| Ceiling | Panel: L210 (in above image) – Painted steel sheet [Y055: Dark gray] or L210S (optional) – Stainless-steel, hairline-finish Lighting: Downlights (LEDs) |
|------------------------|---|
| Walls | Colored stainless-steel, hairline-finish (Bronze) |
| Transom panel | Colored stainless-steel, hairline-finish (Bronze) |
| Doors | Colored stainless-steel, hairline-finish (Bronze) |
| Front return panels | Stainless-steel, hairline-finish |
| Kickplate | Stainless-steel, hairline-finish |
| Flooring | PR812: Dim-gray |
| Car operating panel —— | CBV1-N732 |
| Handrail | YH-59S (three sides) |
| Mirror | None |

Design Change Variations

| Ceiling (L210S) — Walls ———— | - Panel: Stainless-steel, hairline-finish - Stainless-steel, hairline-finish |
|---------------------------------|---|
| Flooring ——— | PR812: Dim-gray |
| Handrail — — | YH-59S (three sides) |
| Mirror — | None |





| Ceiling (L210) — Walls ———— | Panel: Painted steel sheet [Y055: Dark gray] Stainless-steel, hairline-finish with etched pattern (EPA-2) |
|--------------------------------|--|
| Flooring | - PR810: Ocher |
| Handrail — | – YH-59S (three sides) |
| Mirror — | – YZ-52A (Half-size) |

| Ceiling (L210S) — Walls ———— |
|---------------------------------|
| Flooring ——— |
| Handrail — — — |
| Mirror — |

– Panel: Stainless-steel, hairline-finish – Painted steel sheet [Y014: Red-violet] – PR812: Dim-gray – YH59S (both sides) – None





| Ceiling (L210) - | |
|------------------|---|
| cennig (L210) - | |
| Walls — — — | _ |
| - | |
| Flooring —— | - |
| Handrail —— | _ |
| | |
| Mirror ——— | - |

Panel: Painted steel sheet [Y033: White]
 Painted steel sheet [Y033: White]
 PR803: Gray
 YH-59M (three sides)
 YZ-55SN (Full height)

Car Design

Hall Design


Ubservation Co VEXIEZ-MRL Only)

aterials and Color



Softly lit illuminated ceiling with a sparkling slitted frame

LED





Car Design Example

| Ceiling (L400) | Panel: Painted steel sheet [Y055: Dark gray] Lighting: Indirect lighting (LEDs) |
|---------------------|--|
| Walls | Stainless-steel, hairline-finish with etched pattern (EPA-4) |
| Transom panel | Stainless-steel, hairline-finish with etched pattern (EPA-4) |
| Doors | Stainless-steel, hairline-finish with etched pattern (EPA-4) |
| Front return panels | Stainless-steel, hairline-finish |
| Kickplate | Stainless-steel, hairline-finish |
| Flooring | PR810: Ocher |
| Car operating panel | CBV3-N712 |
| Handrail | YH-59M (three sides) |
| Mirror | None |

Design Change Variations

| Ceiling (L400) — | Panel: Painted steel sheet [Y055: Dark gray] Colored stainless-steel, hairline-finish with |
|------------------|--|
| Walls ———— | etched pattern (Gold EPA-1) |
| Flooring — | — PR812: Dim-gray |
| Handrail ——— | — YH59G (both sides) |
| Mirror ——— | — YZ-55SN (Full height) |





| Panel: Painted steel sheet [Y073: Light beige] Stainless-steel, mirror-finish PR812: Dim-gray YH-59S (three sides) None |
|--|
| None |
| |

| Ceiling (L400) —— Walls ———— | Panel: Painted steel sheet [Y055: Dark gray] Painted steel sheet [Y055: Dark gray] |
|---------------------------------|--|
| Flooring ——— | PR803: Gray |
| Handrail — — — | YH-59M (three sides) |
| Mirror ——— | YZ-55SN (Full height) |





| Ceiling (L400) — | _ |
|------------------|---|
| Walls | _ |
| Flooring —— | _ |
| Handrail —— | |
| Mirror — | _ |


Panel: Painted steel sheet [Y055: Dark gray]
Painted steel sheet [Y071: Neutral beige]
PR812: Dim-gray
YH-595 (three sides)
YZ-52A (Half-size)

Materials an

Car Design



Terraced design with illusion of increased ceiling height





Car Design Example

| Ceiling | Panel: N300 (in above image) – Painted steel sheet [Y033: White] or N300S (optional) – Stainless-steel, hairline-finish Lighting: Central indirect lighting and downlights |
|-----------------------|--|
| Walls | Painted steel sheet [Y016: Light brown] |
| Transom panel | Painted steel sheet [Y016: Light brown] |
| Doors | Painted steel sheet [Y016: Light brown] |
| Front return panels — | Stainless-steel, hairline-finish |
| Kickplate | Stainless-steel, hairline-finish |
| Flooring | PR803: Gray |
| Car operating panel — | CBV3-N732 |
| Handrail | YH59S (both sides) |
| Mirror | YZ-55SN (Full height) |

Design Change Variations

| Ceiling (N300S) — | Panel: Stainless-steel, hairline-finish |
|-------------------|--|
| Walls | Stainless-steel, hairline-finish |
| Flooring ——— | – PR803: Gray |
| Handrail — — | – YH-59M (three sides) |
| Mirror — | – None |





| Ceiling (N300) — | Panel: Painted steel sheet [Y033: White] |
|------------------|--|
| Walls — | Painted steel sheet [Y116: Blue] |
| Flooring ——— | PR812: Dim-gray |
| Handrail ——— | YH-59S (three sides) |
| Mirror ——— | YZ-55SN (Full height) |

| Flooring | Ceiling (N300) - Walls | |
|----------|---------------------------|--|
| | | |

Handrail ——— Mirror ——— Panel: Painted steel sheet [Y033: White]
Stainless-steel, hairline-finish with etched pattern (EPA-3)
PR812: Dim-gray
YH59S (both sides)
None





| Ceiling (N300) | |
|-----------------------------|--|
| Nalls — | |
| -looring —— Handrail ——— | |
| Mirror — | |
| VIIIIOI | |

Panel: Painted steel sheet [Y033: White]
 Painted steel sheet [Y004: Beige]
 PR803: Gray
 YH-59S (three sides)
 YZ-53A (2-mirror set)

На

Car Design


Observation Co NEXIEZ-MRL Only)

Naterials and Color:

Interior



Simple and easy to coordinate with various car designs





Car Design Example

| Ceiling (S00) | Panel: Painted steel sheet [Y033: White] with a milky white resin |
|---------------------|---|
| | lighting cover |
| | Lighting: Central lighting |
| Walls | Stainless-steel, hairline-finish |
| Transom panel — | Stainless-steel, hairline-finish |
| Doors | Stainless-steel, hairline-finish |
| Front return panels | Stainless-steel, hairline-finish |
| Kickplate | – Aluminum |
| Flooring | – PR803: Gray |
| Car operating panel | - CBV1-N712 |
| Handrail | YH-59S (three sides) |

Ceiling with emergency trap door for EN81-72

NEXIEZ-MRL Only

FE10



*Not applicable to observation car.





Note: This ladder will be used for rescue operation in case of an emergency.

Car Design Example

Ceiling (FE10) Panels: [Center]

> Painted steel sheet [Y033: White] with emergency trap door [Side] Milky white resin panels Lighting: Lighting on both sides

Actual colors may differ slightly from those shown.

Mirrors



YZ-52A Half-size

YZ-53A 2-mirror set

Handrails



(Stainless-steel, hairline-finish)



YH-59G (Stainless-steel, mirror-finish [Gold])



9





YZ-55SN Full height



YH-59M (Stainless-steel, mirror-finish)



YH-57S (Stainless-steel, hairline-finish)

Cal

r Desigr


Car Operating Panels

For side wall

CBV3

CBV5


CBV1



12



Entrance Finish








Entrance Design Example

| Jamb ——— | Stainless-steel, hairline-finish |
|-------------------------|--|
| Doors | Stainless-steel, hairline-finish |
| Hall position indicator | |
| and button | - PIV1-A1010N Boxless |
| | |



Square Jamb with Transom Panel



Entrance Design Example of E-312

| Jamb — | Stainless-steel, hairline-finish |
|------------------|--|
| Transom panel —— | Stainless-steel, hairline-finish |
| Doors | See-through doors |
| Hall lantern | HLV-A31S |
| Hall button | – HBV1-C710N |

Narrow Jamb Standard E-202 Square Jamb / E-302 Splayed Jamb



Entrance Design Example of E-302

| Jamb — | Stainless-steel, hairline-finish |
|--------------------------|--|
| Doors | Painted steel sheet (Y014: Red-violet) |
| Hall position indicator- | - PIH-D417 |
| Hall button | - HBV1-C710N |
| | |

E-312

Splayed Jamb with Transom Panel



Entrance Design Example of E-312


Jamb Transom panel Doors Hall position indicator – PID-D417 Hall button

Stainless-steel, hairline-finish Stainless-steel, hairline-finish SUS-HL HBV1-C710N

Hall Design

14

Hall Signal Fixtures



*3: The symbol 🔳 is replaced with a number representing illumination color (e.g., PIV1, PIV3, etc.). Please refer to button line-up on this page for illumination colors.

*4: Faceplates with stainless-steel, mirror-finish are also available (optional). Please consult our local agents for details.

*5: These hall position indicators and buttons, or hall buttons are applicable to EN81-70 compliant elevators. The images shown here are the EN81-70 compliant type.

However, the hall position indicators and buttons are not applicable to EN81-70 compliant elevators in multi-car group control.

*6: Only elevators status messages are available.

LED) Hall Design HLV-A16S HLH-A16S - Hall position indicators -3 PIH-D415 (Dot LED indicator) -PIH-D417 (Segment LED indicator) F \uparrow PID-D417*2 (Built into transom panel) ----Hall position indicator with lantern----LED PIE-B47*2 **Cross-section of boxless** fixtures Boxless 1 These hall signal fixtures can be easily Wiring hole mounted on the wall surface without having to cut into the wall to embed the back box.

Special Signal Fixtures for DOAS



10.4-inch Touch Screen"

Surface mounted type





*

4 5 6

HSP-A11



Keypad

| Dot LED display (or | range when illumir | nated) |
|--|--|--|
| | | For EN81-70 |
| 5⊭A 1 2 3 4 5 6 7 8 9 ★ 0 - | 1 2 3 4 5 6 7 8 9 ★ 0 - | • 5⊧A ○ ○ ○ ○ ○ ○ ● ○ ● ● ● |
| HSVF-C212 | HSVF-C222 | HSVF-C232 With accessibility bu |
| I | With speake | er for audio guidance |
| Stainless-steel m • Numbers • Star: Tact • Minus: Fl. | : Flat ile at | Stainless-steel matte l with white ring • Numbers: Flat • Star: Tactile • Minus: Tactile • Accessibility symbol |
| LCD display (5.7-ir | ich) | For EN81-70 |
| 22 C 1 2 3 4 5 6 7 8 9 ★ 0 - | 1 22 C 1 2 3 4 5 6 7 8 9 ★ 0 - | New 22 C ∞ ∞ ∞ ∞ ∅ ∞ ∅ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ ∞ |
| HSVF-C264 | HSVF-C274 | HSVF-C284 With accessibility bu |
| 1 | With speake | er for audio guidance |
| Stainless-steel m • Numbers • Star: Tact • Minus: Fl | : Flat ile | Stainless-steel matte with white ring • Numbers: Flat • Star: Tactile • Minus: Tactile • Accessibility symbol |

Notes *1: Please consult our local agents for the production terms, etc. *2: Card reader is to be supplied by customer. Please consult our local agents for details.

For details of designs and other options, refer to the Σ Al-2200C brochure





utton

buttons ng


ol: Tactile



utton



bol: Tactile



Natural light gives the car a spacious atmosphere





Ceiling Lighting Mullions (interior

Mullions (exterior

Windows

Glass frames — Transom panel

Glass Arrangements



NY-30C

Both sides



NY-30D Rear & one side





| | L210S | Doors | Stainless-steel, |
|------|-------------------|-------------------------|-------------------|
| | Downlights (LEDs) | | hairline-finish |
| or)- | Stainless-steel, | | with glass window |
| | hairline-finish | Front return panel – | Stainless-steel, |
| or)- | Painted finish | | hairline-finish |
| | (N5.5: gray) | Kickplate ——— | Stainless-steel, |
| | Transparent | | hairline-finish |
| | flat glass | Flooring | PR812: Dim-gray |
| | Aluminum | Car operating panel $-$ | CBV1-N712 |
| | Stainless-steel, | Handrail ——— | Stainless-steel, |
| | hairline-finish | | hairline-finish |
| | | | (YH-55S) |
| | | | |



NY-30A Rear & both sides






NY-30B Rear



Rear & one side

Observation Ca (NEXIEZ-MRL Only)




Car Finish Application Table

| Materials/Finishes | Walls | Transom panel | Doors | Front return panels | Kickplate | Flooring | Sill |
|--|----------|------------------|----------|---------------------------|------------------------|----------|----------|
| Stainless-steel, hairline-finish | Standard | Standard | Standard | Standard | Optional | | |
| Painted steel sheet | Optional | Optional | Optional | Optional ^{*3} | Optional ^{*4} | | |
| Stainless-steel, hairline-finish with etched pattern ^{*1} | Optional | Optional | Optional | | | | |
| Colored stainless-steel, hairline-finish | Optional | Optional | Optional | | Optional | | |
| Colored stainless-steel, hairline-finish with etched pattern *2 | Optional | Optional | Optional | | | | |
| Stainless-steel, mirror-finish | Optional | Optional | Optional | Optional | | | |
| Aluminum | | | | | Standard | | |
| Glass windows [1300(H)×300(W)] | | | Optional | | | | |
| See-through doors ^{*5} | | | Optional | | | | |
| Durable vinyl tiles (2mm thick) | | | | | | Standard | |
| Aluminum checkered plate (3t) | | | | | | Optional | |
| Rubber tile/carpet/marble/granite (supplied by customer) | | | | | | Optional | |
| Extruded hard aluminum | | | | | | | Standard |
| Stainless-steel | | | | | | | Optional |

*1: Etching pattern EPA-1~6 only.

*2: Etching pattern EPA-1~3 only. *3: Painted steel sheet may not be available for front return panel depending on the manufacturing factory, please consult our local agents for details. *4: Only available in dark gray.

*5: Only available in 2-panel center opening doors (CO).



| | | | ED P 000 | |
|----------|----------|----------|----------|------|
| EP-A-004 | EP-A-011 | EP-A-021 | EP-B-009 | EP-I |
| | | | | |

Entrance Finish Application Table

| Materials/Finishes | Jamb | Transom panel | Doors | Sill |
|---|----------|---------------|----------|----------|
| Stainless-steel, hairline-finish (SUS-HL) | Standard | Optional | Standard | |
| Painted steel sheet | Optional | Optional | Optional | |
| Stainless-steel, hairline-finish with etched pattern (SUS-HE) | | Optional | Optional | |
| Stainless-steel, mirror-finish (SUS-M) | | | Optional | |
| Glass windows [1300(H)×300(W)] | | | Optional | |
| See-through doors ^{*5} | | | Optional | |
| Extruded hard aluminum | | | | Standard |
| Stainless-steel | | | | Optional |

and Colors

22



State-of-the-Art Factories... For the Environment. For Product Quality.

Mitsubishi Electric elevators and escalators are currently operating in approximately 90 countries around the globe. Built placing priority on safety, our elevators, escalators and building system products are renowned for their excellent efficiency, energy savings and comfort. The technologies and skills cultivated at the Inazawa Works in Japan and 12 global manufacturing factories are utilized in a worldwide network that provides sales, installation and maintenance in support of maintaining and improving product quality. As a means of contributing to the realization of a sustainable society, we consciously consider the environment in business operations, proactively work to realize a low-carbon, recycling-based society, and promote the preservation of biodiversity,

ISO9001/14001 certification


Mitsubishi Electric Corporation Inazawa Works has acquired ISO 9001 certification from the International Organization for Standardization based on a review of quality management. The plant has also acquired environmental management system standard ISO 14001 certification.





Mitsubishi Elevator Asia Co., Ltd. has acquired ISO 9001 certification from the International Organization for Standardization based on a review of quality management. The plant has also acquired environmental management system standard ISO 14001 certification.





Eco Changes is the Mitsubishi Electric Group's environmental statement, and expresses the Group's stance on environmental management. Through a wide range of businesses, we are helping contribute to the realization of a sustainable society.

MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE : TOKYO BLDG., 2-7-3, MARUNOUCH, CHIYODA-KU, TOKYO 100-8310, JAPAN www.MitsubishiElectric.com/elevator





Revised publication effective Mar. 2020. Superseding publication of C-CL1-8-CA320-A Dec. 2018. Specifications are subject to change without notice.